```
                           Mutants-P318A.ST25
                           SEQUENCE LISTING

        <110>   Covalys Biosciences AG

        <120>   Mutants of O6-Alkylguanine-DNA Alkyltransferase

        <130>   P318A

        <150>   EP04405123.3
        <151>   2004-03-02

        <150>   EP04405465.8
        <151>   2004-07-22

        <160>   48

        <170>   PatentIn version 3.3

        <210>   1
        <211>   624
        <212>   DNA
        <213>   Homo sapiens

        <400>   1
        atggacaagg attgtgaaat gaaacgcacc acactggaca gccctttggg gaagctggag      60

        ctgtctggtt gtgagcaggg tctgcacgaa ataaagctcc tgggcaaggg gacgtctgca     120

        gctgatgccg tggaggtccc agcccccgct gcggttctcg gaggtccgga gcccctgatg     180

        cagtgcacag cctggctgaa tgcctatttc caccagcccg aggctatcga agagttcccc     240

        gtgccggcac ttcaccatcc cgttttccag caagagtcgt tcaccagaca ggtgttatgg     300

        aagctgctga aggttgtgaa attcggagaa gtgatttctt accagcaatt agcagccctg     360

        gcaggcaacc ccaaagccgc gcgagcagtg ggaggagcaa tgagaggcaa tcctgtcccc     420

        atcctcatcc cgtgccacag agtggtctgc agcagcggag ccgtgggcaa ctactccgga     480

        ggactggccg tgaaggaatg gcttctggcc catgaaggcc accggttggg gaagccaggc     540

        ttgggaggga gctcaggtct ggcaggggcc tggctcaagg gagcgggagc tacctcgggc     600

        tccccgcctg ctggccgaaa ctga                                           624


        <210>   2
        <211>   22
        <212>   DNA
        <213>   Artificial Sequence

        <220>
        <223>   Substrate oligonucleotide containing O6-Benzylguanine at position
                14

        <220>
        <221>   misc_feature
        <222>   (14)..(14)
        <223>   n is O6-benzylguanine

        <400>   2
        gtggtgggca gctnaggcgt gg                                              22


        <210>   3
        <211>   33
        <212>   DNA
        <213>   Artificial Sequence
```

Mutants-P318A.ST25
<220>
<223> Sense primer for cloning AGT into pGEX

<400> 3
cgaaatggat ccatggacaa ggattgtgaa atg   33

<210> 4
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Antisense primer for cloning AGT into pGEX

<400> 4
gcctttgaat tccgtctttg tagtcgtttc ggccagcagg cgg   43

<210> 5
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Sense primer for mutating K125A, T127A, R128A

<400> 5
gcaaccccgc agccacggca gcagtgggag g   31

<210> 6
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Antisense primer for mutating K125A, T127A, R128A

<400> 6
cctcccactg ctgccgtggc tgcggggttg c   31

<210> 7
<211> 49
<212> DNA
<213> Artificial Sequence

<220>
<223> Sense primer for cloning into eukaryotic pNUC vector

<400> 7
gatcgagcta gcgctaccgg tcgccaccat ggacaaggat tgtgaaatg   49

<210> 8
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Antisense primer for cloning into eukaryotic pNUC vector

<400> 8
gctagggatc ctacgtttcg gccagcaggc g   31

<210> 9
<211> 35
<212> DNA
<213> Artificial Sequence

Mutants-P318A.ST25

```
<220>
<223>  Sense primer for mutating Cys 62 to Ala

<400>  9
gagcccctga tgcaggctac agcctggctg aatgc                        35


<210>  10
<211>  35
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for mutating Cys 62 to Ala

<400>  10
gcattcagcc aggctgtagc ctgcatcagg ggctc                        35


<210>  11
<211>  60
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Sense primer for cloning of AGT mutants into phage-display vector

<400>  11
ctactcgcgg cccagccggc catggcggac tacaaagaca tggacaagga ttgtgaaatg    60


<210>  12
<211>  40
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for cloning of AGT mutants into phage-display
       vector

<400>  12
ggaattcggc ccccgaggcc gcgtttcggc cagcaggcgg                   40


<210>  13
<211>  42
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for cloning AGT truncated after 182 into pGEX

<400>  13
gcctttgaat tccgtctttg tagtctccca agcctggctt cc                42


<210>  14
<211>  50
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Sense primer for randomisation of codons 131-135

<220>
<221>  misc_feature
<222>  (22)..(23)
<223>  n is a, c, g, or t
```

Mutants-P318A.ST25

```
<220>
<221>  misc_feature
<222>  (25)..(26)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (31)..(32)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (34)..(35)
<223>  n is a, c, g, or t

<400>  14
cccaaagccg cgcgagcagt gnnknnkgca nnknnkggca atcctgtccc          50


<210>  15
<211>  26
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for randomisation of codons 131-135

<400>  15
tgctcgcgcg gctttggggt tgcctg                                   26


<210>  16
<211>  41
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Sense primer for randomisation of codons 115-116

<220>
<221>  misc_feature
<222>  (19)..(20)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (22)..(23)
<223>  n is a, c, g, or t

<400>  16
ggagaagtga tttcttacnn bnnbttagca gccctggcag g                  41


<210>  17
<211>  27
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for randomisation of codons 115-116

<400>  17
gtaagaaatc acttctccga atttcac                                  27


<210>  18
<211>  41
<212>  DNA
<213>  Artificial Sequence
```

Mutants-P318A.ST25
```
<220>
<223>  Sense primer for randomisation of codons 150-152


<220>
<221>  misc_feature
<222>  (19)..(20)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (22)..(23)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (25)..(26)
<223>  n is a, c, g, or t

<400>  18
ccgtgccaca gagtggtcnn bnnbnnbgga gccgtgggcg g                    41


<210>  19
<211>  18
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for randomisation of codons 150-152

<400>  19
gaccactctg tggcacgg                                              18


<210>  20
<211>  35
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Sense primer for mutating G131K, G132T, M134L, R135S

<400>  20
gcagccacgg cagcagtgaa gacggcactg agtgg                           35


<210>  21
<211>  40
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for mutating G131K, G132T, M134L, R135S

<400>  21
ggatagggac aggattgcca ctcagtgccg tcttcactgc                      40


<210>  22
<211>  41
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Sense primer for mutating Q115S, Q116H

<400>  22
gtgaaattcg gagaagtgat ttcttactct cacttagcag c                    41
```

Page 5

```
                              Mutants-P318A.ST25
<210>   23
<211>   35
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Antisense primer for mutating Q115S, Q116H

<400>   23
cctgccaggg ctgctaagtg agagtaagaa atcac                        35


<210>   24
<211>   33
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Sense primer for mutating C150N, S151I, S152N

<400>   24
cgtgccacag agtggtcaat atcaatggag ccg                          33


<210>   25
<211>   32
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Antisense primer for mutating C150N, S151I, S152N

<400>   25
cgtaaccgcc cacggctcca ttgatattga cc                           32


<210>   26
<211>   32
<212>   DNA
<213>   Artificial sequence

<220>
<223>   Primer for cloning mutant AGT in pET15b

<400>   26
gtcgcatatg gacaaggatt gtgaaatgaa ac                           32


<210>   27
<211>   34
<212>   DNA
<213>   Artificial sequence

<220>
<223>   Primer for cloning mutant AGT in pET15b

<400>   27
gattacggga tccttatccc aagcctggct tccc                         34


<210>   28
<211>   45
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Antisense primer for cloning truncated AGT in pAK 100

<400>   28
gcaatggaat tcggcccccg aggccgctcc caagcctggc ttccc             45
```

Page 6

Mutants-P318A.ST25

```
<210>    29
<211>    81
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    Sense primer for introducing 12xHis, SbfI and AscI sites

<400>    29
ttatccatgg cacatcatca tcatcatcat catcatcatc atcatcatcc tgcaggtata    60

ggcgcgccta aaagcttctt a                                             81


<210>    30
<211>    81
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    Antisense primer for introducing 12xHis, SbfI and AscI sites

<400>    30
taagaagctt ttaggcgcgc ctatacctgc aggatgatga tgatgatgat gatgatgatg    60

atgatgatgt gccatggata a                                             81


<210>    31
<211>    59
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    Sense primer for cloning mutant AGT in pBAD-HisA

<400>    31
ggcctgcagg tgaaaacctg tacttccagg gtatggacaa ggattgtgaa atgaaacgc      59


<210>    32
<211>    45
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    Antisense primer for cloning mutant AGT in pBAD-HisA

<400>    32
aaaaggcgcg ccggatcctt atcccaagcc tggcttcccc aaccg                    45


<210>    33
<211>    47
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    Antisense primer for cloning wt AGT in pBAD-HisA

<400>    33
aacggcgcgc cggatcctta gtttcggcca gcaggcgggg agcccga                  47


<210>    34
<211>    49
<212>    DNA
<213>    Artificial Sequence

<220>
```

```
                                Mutants-P318A.ST25
<223>   Sense primer for cloning AGTM in pEGFP-Nuc

<400>   34
gatcgagcta gcgctaccgg tcgccaccat ggacaaggat tgtgaaatg                49


<210>   35
<211>   32
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Antisense primer for cloning AGT G160W in pEGFP-Nuc

<400>   35
ccaggcagat ctgtttcggc cagcaggcgg gg                                  32


<210>   36
<211>   48
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Antisense primer for cloning AGTM in pEGFP-Nuc

<400>   36
ccaggcagat cttcccaagc ctggcttccc caaccggtgg ccttcatg                48


<210>   37
<211>   33
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Sense primer for cloning beta-Gal in pEGFP-Nuc

<400>   37ᴑ                                                      ᴑ
catcgtctag attattttg acaccagacc aac                                  33


<210>   38
<211>   42
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Antisense primer for cloning beta-Gal in pEGPF-Nuc

<400>   38
gatcgagatc tgggtccgga atgactaaat ctcattcaga ag                      42


<210>   39
<211>   25
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Sense primer for mutation G160W

<400>   39
caactactcc tggggactgg ccgtg                                         25


<210>   40
<211>   25
<212>   DNA
<213>   Artificial Sequence
```

Page 8

Mutants-P318A.ST25
```
<220>
<223>  Antisense primer for mutation G160w

<400>  40
ccagtcccca ggagtagttg cccac                                              25


<210>  41
<211>  39
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Primer for error prone PCR of pAK100 insert, c at position 1
       modified with biotin


<220>
<221>  misc_feature
<222>  (1)..(1)
<223>  n is c modified with biotin

<400>  41
ngatccttag acctgaacgc aggtttcccg actggaaag                               39


<210>  42
<211>  39
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for error prone PCR of pAK100 insert

<400>  42
gcgtcagggt tacaagttca tggtttacca gcgccaaag                               39


<210>  43
<211>  19
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Sense primer for amplification of errorprone-PCR product

<400>  43
cgatccttag acctgaacg                                                     19


<210>  44
<211>  19
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for amplification of errorprone-PCR product

<400>  44
gcgtcagggt tacaagttc                                                     19


<210>  45
<211>  48
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Sense primer for saturation mutagenesis AGTM 150-154
```

Mutants-P318A.ST25

```
<220>
<221>  misc_feature
<222>  (18)..(19)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (21)..(22)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (24)..(25)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (27)..(28)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (30)..(31)
<223>  n is a, c, g, or t

<400>  45
cgtgccacag agtggtcnnk nnknnknnkn nkgtgggcgg ttacgagg                48


<210>  46
<211>  48
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Antisense primer for saturation mutagenesis AGTM 150-154


<220>
<221>  misc_feature
<222>  (18)..(19)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (21)..(22)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (24)..(25)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (27)..(28)
<223>  n is a, c, g, or t

<220>
<221>  misc_feature
<222>  (30)..(31)
<223>  n is a, c, g, or t

<400>  46
cctcgtaacc gcccacmnnm nnmnnmnnmn ngaccactct gtggcacg                48


<210>  47
<211>  48
<212>  DNA
<213>  Artificial Sequence
```

Mutants-P318A.ST25

```
<220>
<223>   Sense primer for saturation mutagenesis AGTM 31-35


<220>
<221>   misc_feature
<222>   (17)..(18)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (20)..(21)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (23)..(24)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (26)..(27)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (29)..(30)
<223>   n is a, c, g, or t

<400>   47
gcagggtctg cacgaannkn nknnknnknn kaaggggacg tctgcagc                48


<210>   48
<211>   48
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   Antisense primer for saturation mutagenesis AGTM 31-35


<220>
<221>   misc_feature
<222>   (19)..(20)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (22)..(23)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (25)..(26)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (28)..(29)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (31)..(32)
<223>   n is a, c, g, or t

<400>   48
gctgcagacg tccccttmnn mnnmnnmnnm nnttcgtgca gaccctgc                48
```